

JOB ADDRESS
 Horn Townhomes
 809 E 81st NE 17th Way
 Fort Lauderdale, FL

City of Fort Lauderdale WINDOW/DOOR SCHEDULE

WINDOWS & DOORS SIZE		APPROVED PRESSURE pos/neg	REQUIRED PRESSURE pos/neg	PRODUCT APPROVAL #	GLASS TYPE/SIZE	FASTENER TYPE/SIZE	SPACING			SHUTTER	YES/NO	NOA #	BAR SIZE - # FASTENERS CLIP/BAR	
							EDGE & O.C.	SIDES	SILL					
WINDOWS / DOORS													MULLION BARS	
													SHUTTER	
1	3'-0" x 8'-0"	+80/-80	+54.9 / -60.04	13-0226 06	LAM / 7/16"	TAPCONS	6" MAX	4 1/2" MAX	6" MAX	NO	NO	N/A	N/A	
2	16'-0" x 8'-0"	+46/-50	+45.8 / -33.2	12-0125 18	N/A	TAPCONS	6.25" MAX	6.25" MAX	N/A	NO	NO	N/A	N/A	
3	16'-0" x 8'-0"	+46/-50	+45.8 / -33.2	12-0125 18	N/A	TAPCONS	6.25" MAX	3 3/4" MAX	N/A	NO	NO	N/A	N/A	
4	3'-0" x 8'-0"	+80/-80	+54.9 / -60.04	13-0226 06	LAM / 7/16"	TAPCONS	6" MAX	3 3/4" MAX	6" MAX	NO	NO	N/A	N/A	
5	16'-0" x 8'-0"	+60/-60	+51.63 / -56.78	14-0627 15	LAM / 7/16"	TAPCONS	6 1/4" MAX	5 1/4" MAX	6 1/4" MAX	NO	NO	N/A	N/A	
6	16'-0" x 8'-0"	+60/-60	+51.63 / -56.78	14-0627 15	LAM / 7/16"	TAPCONS	6 1/4" MAX	5 1/4" MAX	6 1/4" MAX	NO	NO	N/A	N/A	
39	16'-0" x 8'-0"	+60/-60	+51.63 / -56.78	14-0627 15	LAM / 7/16"	TAPCONS	6 1/4" MAX	5 1/4" MAX	6 1/4" MAX	NO	NO	N/A	N/A	
40	16'-0" x 8'-0"	+60/-60	+51.63 / -56.78	14-0627 15	LAM / 7/16"	TAPCONS	6 1/4" MAX	5 1/4" MAX	6 1/4" MAX	NO	NO	N/A	N/A	
A	44x96"	+80/-80	+57.33 / -62.68	13-0226 06	LAM / 7/16"	TAPCONS	6" MAX	4 1/2" MAX	6" MAX	NO	NO	N/A	N/A	
B	24x24"	+80/-80	+61.78 / -66.93	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	NO	N/A	N/A	
C	24x24"	+80/-80	+61.78 / -66.93	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	NO	N/A	N/A	
D	24x24"	+80/-80	+61.78 / -66.93	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	NO	N/A	N/A	
E	24x24"	+80/-80	+61.78 / -66.93	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	NO	N/A	N/A	
F	44x96"	+80/-80	+57.33 / -62.68	13-0226 06	LAM / 7/16"	TAPCONS	6" MAX	4 1/2" MAX	6" MAX	NO	NO	N/A	N/A	
G	60x60"	+80/-90	+58.16 / -63.31	14-0915 07	LAM / 5/16"	TAPCONS	6 1/26 5/8" MAX	17" MAX	6 1/26 5/8" MAX	NO	NO	N/A	N/A	
H	60x60"	+80/-90	+58.16 / -63.31	14-0915 07	LAM / 5/16"	TAPCONS	6 1/26 5/8" MAX	17" MAX	6 1/26 5/8" MAX	NO	NO	N/A	N/A	
I	60x60"	+80/-90	+58.16 / -63.31	14-0915 07	LAM / 5/16"	TAPCONS	6 1/26 5/8" MAX	17" MAX	6 1/26 5/8" MAX	NO	NO	N/A	N/A	
J	24x60"	+80/-80	+61.78 / -66.93	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	NO	N/A	N/A	
K	24x60"	+80/-80	+61.78 / -66.93	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	NO	N/A	N/A	
L	24x60"	+80/-80	+61.78 / -66.93	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	NO	N/A	N/A	
M	24x60"	+80/-80	+61.78 / -66.93	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	NO	N/A	N/A	
N	60x60"	+80/-90	+58.16 / -63.31	14-0915 07	LAM / 5/16"	TAPCONS	6 1/26 5/8" MAX	17" MAX	6 1/26 5/8" MAX	NO	NO	N/A	N/A	
O	2 x 30x60"	+80/-80	+58.16 / -63.31	14-0731 05	LAM / 7/16"	TAPCONS	6 1/8" MAX	6 3/4" MAX	6 1/8" MAX	NO	YES	12-0203 13	1x4" / 4 CLIP ANCHORS/BAR	

THIS FORM SHALL BE SUBMITTED ALONG WITH THE FLOOR PLAN AND ALL PRODUCT APPROVALS.
 *** A MINIMUM OF TWO INSPECTIONS MAY BE REQUIRED (1st) FRAMING - DURING THE INSTALLATION OF CONCEALED FASTENERS (2nd) FINAL - AFTER ALL WORK IS COMPLETE.